



Complete Healthcare **Storage Solutions**



Complete Healthcare Storage Solutions

In today's healthcare environment many different types of storage solutions are utilised.


We have carefully selected an extensive range of systems to provide the most effective and efficient storage for all departments including static, built-in and mobile storage units. All systems can be customised with a range of accessories further enhancing functionality and efficiency.

1

Module 60 x 40 Systems

This versatile high density storage system offers infinite flexibility for storage requirements throughout the healthcare environment. By utilising the ISO standard 60 x 40cm tray and basket system numerous types of storage systems are offered.

- Free standing storage racks
- Enclosed cabinet systems
- Open frame storage carts
- Enclosed carts with roller doors or opening doors
- Carts with drawer systems



2

Rapini Wire Systems

An easy and economical system to solve a variety of storage solutions using wire shelves, and wire baskets. Static shelving can be custom fitted to room sizes and in-line systems can be fitted to maximise storage capacity. Our unique basket systems offer dust free storage of items and can be utilised in both carts and wall mounted systems.


- Free standing storage racks
- Open frame storage carts
- In-line storage systems
- Carts with basket systems
- Wall mounted basket systems

3

Pharmacy Shelving

Flexible shelving and storage systems provide optimal layout for the healthcare pharmacy. The pull-out shelving system maximises access to stock and improves work flow. The wire basket system provides bulk storage of items that can be integrated into cabinet and bench systems as well as free standing frames.

- Free standing shelf systems
- Enclosed cabinet shelf systems
- Free standing basket systems
- Enclosed cabinet basket systems







1

MODULE 60 x 40 SYSTEMS

Trays and Baskets	
Accessories	4
Cabinet Liners	6
Transport Trolleys / Open Carts	10
ISO Container Carts	11
Modu-Flex	12
Mobile Storage	13
Spectra Range	14

Trays & Baskets

The trays and baskets are the core of the Module 60 x 40. Each tray has an external dimension of 60 x 40cm which is a standard ISO size. This standard size offers significant flexibility in terms of how they can be utilised in free-standing, mobile and cabinet systems.

- The trays are designed to offer a solid base and are available in depths of 5, 10 and 20cm.
- The baskets have a perforated base and are available in depths of 10 and 20cm.
- Both the trays and baskets can be supplied in Transparent ABS (standard) or Light Grey ABS, and all have integrated moulded slots to accommodate divider systems.

Tray Depths	Basket Depths
5cm 10cm	10cm 20cm
20cm	
Tray Material	Basket Material
Transparent ABS	Transparent ABS
Grey ABS	Grey ABS
	Stainless Steel

Standard Trays



Tray 60 x 40 x 5cm

- ABS Transparent
- Injection moulded
- Can be stacked, nested and divided in both directions



Tray 60 x 40 x 10cm

- ABS Transparent
- Injection moulded
- Can be stacked, nested and divided in both directions

Tray 60 x 40

Depth	Grey ABS	Transparent ABS
5cm	TTT106405-10100	TTT106405-10101
10cm	TTT106410-10100	TTT106410-10101
20cm	TTT106420-10100	TTT106420-10101

Basket 60 x 40

Depth	Grey ABS	Transparent ABS	Stainless Steel
10cm	TTT116410-10100	TTT116410-10101	TTT116410-52539
20cm	TTT116420-10100	TTT116420-10101	TTT116420-52539



Tray 60 x 40 x 20cm

- ABS Transparent
- Injection moulded
- Can be stacked, nested and divided in both directions



Basket 60 x 40 x 10cm | Perforated Base TTT116410-10101

- ABS Transparent
- Injection moulded
- Can be stacked, nested and divided in both directions



Basket 60 x 40 x 20cm | Perforated Base TTT116420-10101

- ABS Transparent
- Injection moulded
- $-\,$ Can be stacked, nested and divided in both directions



Basket 60 x 40 x10cm TTT116410-52539

- Stainless steel
- Electro polished
- Can be stacked and nested
- Top frame is 6mm; Wire thickness is 4mm
- Can be used in the standard runner system



Basket 60 x 40 x 20cm TTT116420-52539


- Stainless steel
- Electro polished
- Can be stacked and nested
- Top frame is 6mm; Wire thickness is 4mm
- Can be used in the standard runner system



Shelf 60 x 40 TTT920051-00001

- Stainless Steel

- Can be used in the standard runner system



Shelf 60 x 40 TTT136406-71710

- HPL
- Thickness 6mm
- Can be used in the standard runner system

Accessories

Divider Systems

All ABS tray and basket systems have integrated moulded slots to ensure positive positioning of the divider system. In addition they have unique numbers and letters marked on the trays to provide quick and precise positioning of the dividers. The dividers depths are matched to the trays: 5, 10, and 20cm deep. Connector for Dividers TTT121005-12102

An optional T-connector can be used to create compartments of varying dimensions.







Drawer Stops

TTT121000-12102

Drawer stops can be fitted to trays and baskets. There is provision in each corner for these stops.





Label Holders



- A. Credit Card | 90 x 59mm (HxW) TTT121007-12102
- **B. Portrait** | 61 x 42mm (HxW) TTT121001-12102
- C. Landscape | 42 x 61mm (HxW) TTT121006-12102



Dimer	isions	Light Grey ABS	Transparent ABS
Fem Denth	40 x 5cm	TTT124005-11100	TTT124005-10101
5cm Depth	60 x 5cm	TTT126005-11100	TTT126005-10101
10 cm Darille	40 x 10cm	TTT124010-11100	TTT126010-11100
10cm Depth	60 x 10cm	TTT126010-11100	TTT124010-10101
20 cm Durth	40 x 20cm	TTT124020-11100	TTT126020-11100
20cm Depth	60 x 20cm	TTT124020-10101	TTT126020-10101



LI HIMMAN

40 x 5cm | Light Grey TTT124005-11100

40 x 10cm | Light Grey TTT124010-11100

60 x 20cm | Transparent TTT126020-11100

Plastic Cards

TTT920009-00006
TTT920009-00007
TTT920009-00008
TTT920009-00009
TTT920009-00010

Portrait & Landscape Cards		
Red	TTT920009-00000	
Blue	TTT920009-00001	
Yellow	TTT920009-00002	
Green	TTT920009-00003	
Orange	TTT920009-00004	
Black	TTT920009-00014	
Grey	TTT920009-00015	





Cabinet Liners


Complete flexibility for tray and basket storage

- Positioning Options:
- Horizonta
- Slanted
- Tilted

All liners for the Module 60 x 40 system are injection moulded ABS and are extremely rigid and strong. The design of these panels enables trays and baskets to be used horizontally, stored on a slant or pulled out and tilted for ease of access.

Available Options:

- Safety stop system to prevent trays and baskets coming out entirely.
- Click in wheel system to ensure heavily loaded trays slide easily.



Cabinet Liners

There are different versions of the liner system to accommodate a 40cm or 60cm wide cabinet opening. The liners are modular and easily installed with each panel being 32cm high.



Cabinet Width	Left	Right
40cm	TTT127000-00003	TTT127000-00004
60cm	TTT127000-00001	TTT127000-00002

Side View

Wheels

TTT127000-00000

This unique click in wheel system can be attached to any liner panel without requiring any tools. This click in wheel system ensures that trays slide easily even when heavily loaded.




There are unlimited options for customising the positioning and use of the trays and baskets.

Typically trays and baskets are stored horizontally, however the liner panels are designed to allow the trays to be stored on a slant. This makes it easier to view the contents particularly at higher levels.

Also integral to the design is the ability to pull out the tray or basket so the user has tilted access to the contents. This is particularly useful for restocking purposes.

The safety stop system prevents the drawer coming out entirely and can be added as an option to any basket or tray.



See page 2 for 60 x 40 Trays



Modular Frame Systems

The Module 60 x 40 System can be customised to any room size due to its connecting modular frame system. The Module 60×40 frame system allows the trays or baskets to be used for a 40cm or 60cm wide opening. The runner system can also be customised to allow the tray or the basket to slide horizontally or on an angle. This is particularly useful at higher levels to allow better visibility of the stored items.



Cabinet Systems

The Module 60 x 40 cabinet system can be integrated into cabinets of all types, including under bench and full height storage. The cabinet system can be enclosed with sliding or hinged cupboard doors. The Module 60 x 40 cabinet system allows the trays or baskets to be used for 40cm or 60cm wide opening.









Module Liner Systems

All Module liner systems attach easily to the inside of the cabinet and allow the Module 60 x 40 trays and baskets to slide in either horizontally, or on an angle. Module 60 x 40 trays or baskets can also be stored on a slant. This is particularly useful at higher levels as it provides better visibility of the stored items. The addition of the Module Wheels System ensures heavy loaded trays slide easily.

Transport Trolleys/ Open Carts

Open carts are available in various dimensions and can serve as multifunction carts or as transport carts.

The open carts are lightweight, flexible, modular, and easy to move. The carts are easily configurable with various accessories to complement the carts according to use. All product stored in the cart is clearly visible and easily accessible.

The open carts are made from epoxy coated steel tube and are available to suit a 40cm 60cm tray width.

The Module 60×40 Trays and baskets fit into the side runners and has an inbuilt safety stop function. The side runners can be installed at 68mm intervals without requiring any tools.

By default, the carts are provided with 4 swivel wheels, 2 of which have a brake. The wheel diameter will vary depending on the cart's dimensions.

The open carts are available in two heights as a single, double, or triple bay and can be fitted with baskets, trays or adjustable shelving.

1 Section		
40cm Opening	45 x 65 x 164H cm	TTT154614-10100
40cm Opening	45 x 65 x 180H cm	TTT154614-10184
60cm Opening	65 x 45 x 164H cm	TTT156416-50500
60cm Opening	65 x 45 x 180H cm	TTT156416-00184

2 Section		
40cm Opening	89 x 65 x 164H cm	TTT154624-50500
40cm Opening	89 x 65 x 180H cm	TTT154624-00184
60cm Opening	129 x 45 x 164H cm	TTT156426-50500
60cm Opening	129 x 45 x 180H cm	TTT156426-00184

3 Section		
40cm Opening	130 x 65 x 164H cm	TTT154634-10100
40cm Opening	130 x 65 x 180H cm	TTT154634-00184



Transport Trolley 1 Section



Transport Trolley 2 Section



Transport Trolley 3 Section

ISO Container Carts

Container carts are efficient for sterile product transportation. They are made in anodised aluminium and are available in single, double, or triple bay and can be fitted with baskets, trays or adjustable shelving.

The modules are inserted into the module rails of the container cart with the 40cm side as front. The doors open 270 degrees and can be fixed to the cart sides with a magnet, so they do not occupy extra space when opened.

All container carts are surrounded by a bumper on the upper as well as on the bottom side. By default, the container carts have two swivel wheels and two fixed castors. The wheel diameter depends on the dimensions of the container cart.

1 Section		
40cm Opening	55 x71 x 158H cm	TTT164614-51519
2 Section		
40cm Opening	97 x 71 x 178H cm	TTT164624-51519
3 Section		
40cm Opening	140 x 65 x 178H cm	TTT164634-51519



ISO Container Carts 1 Section



ISO Container Carts 2 Section



ISO Container Carts 3 Section

Modu-Flex

The Modu-Flex provides for an extremely flexible system utilising the Module 60 x 40 tray and basket system. These units are available in 4 standard heights, 90,105, 150 and 185cm high and can be configured to offer 40cm or 60cm openings. In addition these can be supplied with an open front or with a space saving roller door.

The Modu-Flex liner system is attached inside the cabinet to allow the Module 60 x 40 trays and baskets to slide horizontally or on an angle. This is particularly useful for higher level trays which allows better visibility of the stored items. The addition of the Module Wheels system ensures heavily loaded trays slide easily.

Construction is from lightweight aluminium frame with HPL external panels and heavy duty 125mm castors with brakes.

A full range of accessories is available for the carts,

- Push Handles
- Accessory Rails
- Waste Bag holders
- Bumpers

40cm Opening		
No Door	48 x 70 x 90H cm	TTT128400Z0900
No Door	48 x 70 x 105H cm	TTT128400Z0150
No Door	48 x 70 x 150H cm	TTT128400Z01500
No Door	48 x 70 x 185H cm	TTT128400Z01850
Roller Door	48 x 70 x 90H cm	TTT128400R0900
Roller Door	48 x 70 x 105H cm	TTT128400R1050
Roller Door	48 x 70 x 150H cm	TTT128400R01500
Roller Door	48 x 70 x 185H cm	TTT128400R01850

60cm Opening	2	
No Door	70 x 48 x 90H cm	TTT128600Z0900
No Door	70 x 48 x 105H cm	TTT128600Z01050
No Door	70 x 48 x 150H cm	TTT128600Z01500
No Door	70 x 48 x 185H cm	TTT128600Z01850
Roller Door	70 x 48 x 90H cm	TTT128600R0900
Roller Door	70 x 48 x 105H cm	TTT128600R1050
Roller Door	70 x 48 x 150H cm	TTT128600R01500
Roller Door	70 x 48 x 185H cm	TTT128600R01850



Modu-Flex 40cm Opening 48 x 70 x 90H cm



Modu-Flex 60cm Opening 70 x 48 x 150H cm



Modu-Flex 60cm Opening 70 x 48 x 185H cm

Mobile Storage

AXM1400

665 x 460 x 975mm

4 x 100mm deep trays 1 x 200mm deep tray 100mm castors; 2 brakes Push handle

*Dividers not included



AXM1800 660 x 460 x 945mm

2 x 200mm deep trays 100mm castors; 2 break Push handle

*Dividers not included



AXM2000

900 x 650 W 1000mm

2 x 50mm deep trays 6 x 100mm deep trays 2 x 200mm deep trays 125mm castors; 2 brake Push handle

*Dividers not included



AXM8000 680 x 450 x 1950mm

Multi position holes enable any tray configuration to suit different storage requirements

1 x 50mm deep tray 4 x 100mm deep trays 2 x 200mm deep trays

*Dividers not included



Spectra Range

The Spectra range is a cart system that combines mobility and drawer flexibility into a lightweight colour coded package that has applications throughout all healthcare environments. The unique drawer system is based on removable 60 x 40 tray systems that offer different depths and the option of integrated drawer dividers. This allows flexibility with the carts applications, particularly in the ability to restock the carts with transfer tray systems.

The carts shelves are one piece moulded polymer which enables easy cleaning and eliminates infection control issues due to the rounded internal mould design, whilst integrating a raised lip to three sides to prevent items falling off.


The Spectra range offers unlimited drawer configurations and a range of colourful drawer fronts.

Features

- Anti bacterial polymer shelf
- Spectra colour drawer options
- Module 60 x 40 travs or baskets
- 125mm Castors: 2 Brake

Optional:

- Interlocking tray dividers
- Ergonomic push handle





AXS0010 1 Drawer Trolley 700 x 500 x 1000H mm

- 1 x 100mm deep tray
- Work surface area 620 x 460mm



Spectra Colour Options



Yellow

Green

Blue

AXS0020 2 Drawer Trolley 700 x 500 x 1000H mm

- 2 x 100mm deep trays


- Work surface area 620 x 460mm

AXS0030 Multi Drawer Trolley 700 x 500 x 1000H mm

- 1 x 50mm deep tray
- 2 x 100mm deep trays
- 2 x 200mm deep trays
- Work surface area 620 x 460mm







RAPINI WIRE SYSTEMS

2

Shelving Options	18
Accessories	22
In-Line Storage	24
Wall Systems	26
Baskets	28
Wire Storage	30
Specialty Units	32

Rapini Shelving Options

Rapini delivers an easy and economical way to solve a variety of storage, supply management and inventory control issues with Static and Mobile Wire Shelving Systems.

Available in shelving, carts or high density in-line systems the Rapini range will maximise your floor space usage and improve your inventory supply flow.

Shelving Options

Nickel Chrome Wire Shelving

Nickel chrome wire shelving is best suited to dry areas, and in particular for sterile hospital environments, where cleanliness and freedom from dust gathering is critical. Rapini's nickel chrome wire shelves comply with hospital infection control guidelines as per AS 4187



Stainless Steel Wire Shelving

Stainless steel wire shelving is suitable for wet storage and high contamination areas, such as clean rooms and sterile hospital environments where cleanliness and freedom from dust gathering is critical.



Stainless Steel Solid Shelving

Stainless steel solid shelving has unlimited applications. Stainless steel sheet construction, makes it very serviceable in all conditions.



Cool Seal Wire Shelving

Zinc plated, epoxy coated wire shelving is specially designed for both wet and dry storage areas. Particular application is cool rooms, freezers, hotels, restaurants and hospital kitchens.



NICKEL CHROME W	IRE NC	STAINLESS STEEL	WIRE SS	STAINLESS STEEL S	SOLID SD	COOL SEAL	ZP
Size (mm)	Code	Size	Code	Size	Code	Size	Code
WIRE SHELF SIZES							
355 Width							
355 x 760	S1430NC						
355 x 910	S1436NC						
355 x 1070	S1442NC						
355 x 1220	S1448NC						
355 x 1372	S1454NC						
355 x 1525	S1460NC						
355 x 1828	S1472NC						
460 Width 460 x 460	C1010N0						
460 x 610	S1818NC S1824NC	460 x 610	\$1824SS	460 x 610	S1824SD	460 x 610	ZP1824
460 x 760	\$1830NC	460 x 760	\$1830SS	460 x 760	\$1830SD	460 x 760	ZP1830
460 x 910	\$1836NC	460 x 910	\$1836SS	460 x 910	\$1836SD	460 x 910	ZP1836
460 x 1070	S1842NC	460 x 1070	\$1842SS	460 x 1070	S1842SD	460 x 1070	ZP1842
460 x 1220	S1848NC	460 x 1220	S1848SS	460 x 1220	S1848SD	100 X 1070	
460 x 1372	S1854NC	460 x 1372	S1854SS	460 x 1372	S1854SD		
460 x 1525	S1860NC	460 x 1525	\$1860SS	460 x 1525	S1860SD		
460 x 1828	S1872NC						
533 Width							
533 x 610	S2124NC						
533 x 760	S2130NC					533 x 760	ZP2130
533 x 910	S2136NC					533 x 910	ZP2136 SHELF
533 x 1070	S2142NC					533 x 1070	ZP2142
533 x 1220	S2148NC						
533 x 1372	S2154NC						
533 x 1525	S2160NC						
533 x 1828	S2172NC						
610 Width							
610×610	S2424NC	610 x 610	S2424SS			610 x 610	ZP2424
610 x 760	S2430NC	610 x 760	S2430SS	610 x 760	S2430SD	610 x 760	ZP2430
610×910	S2436NC	610×910	S2436SS	610×910	S2436SD	610×910	ZP2436
610 x 1070	S2442NC	610 x 1070	S2442SS	610 x 1070	S2442SD	610 x 1070	ZP2442
610 x 1220	S2448NC	610 x 1220	S2448SS	610 x 1220	S2448SD		
610 x 1372	S2454NC	610 x 1372	S2454SS	C101505	0040000		
610 x 1525	S2460NC	610 x 1525	S2460SS	610 x 1525	S2460SD		
610 x 1828 POSTS (Height mm)	S2472NC						
		860	P3//SS	860	P34SD		
860	P34C	860 1370	P34SS	860 1370	P34SD P54SD	_	
860 1370	P34C P54C	1370	P54SS	1370	P54SD	1600	ZP63P
860 1370 1600	P34C P54C P63C	1370 1600	P54SS P63SS			1600	ZP63P
860 1370	P34C P54C	1370	P54SS	1370	P54SD	1600	ZP63P ZP74P
860 1370 1600 1800	P34C P54C P63C P70C	1370 1600 1800	P54SS P63SS P70SS	1370 1600	P54SD P63SD		
860 1370 1600 1800 1895	P34C P54C P63C P70C P74C	1370 1600 1800 1895	P54SS P63SS P70SS P74SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232	P34C P54C P63C P70C P74C	1370 1600 1800 1895	P54SS P63SS P70SS P74SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES	P34C P54C P63C P70C P74C P80C	1370 1600 1800 1895 2032	P54SS P63SS P70SS P74SS P80SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 x 100 460 x 100	P34C P54C P63C P70C P74C P80C (L x H) AL14C AL18C	1370 1600 1800 1895 2032	P54SS P63SS P70SS P74SS P80SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 x 100 460 x 100 533 x 100	P34C P54C P63C P70C P74C P80C (L x H) AL14C AL18C AL21C	1370 1600 1800 1895 2032 100mm High 460 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 x 100 460 x 100 533 x 100 610 x 100	P34C P54C P63C P70C P74C P80C (L x H) AL14C AL18C AL21C AL24C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100	 P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS 	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 x 100 460 x 100 533 x 100 610 x 100 760 x 100	P34C P54C P63C P70C P74C P80C (L x H) AL14C AL18C AL21C AL24C AL30C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100	 P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL30SS 	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 x 100 460 x 100 533 x 100 610 x 100 760 x 100 910 x 100	P34C P54C P63C P70C P74C P80C (L x H) AL14C AL14C AL18C AL21C AL24C AL30C AL36C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL30SS AL36SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 x 100 460 x 100 533 x 100 610 x 100 760 x 100 910 x 100	P34C P54C P63C P70C P74C P80C (L x H) AL14C AL14C AL21C AL24C AL30C AL36C AL42C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL30SS AL36SS AL42SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 x 100 460 x 100 533 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100	P34C P54C P63C P70C P74C P80C (L x H) AL14C AL14C AL18C AL21C AL30C AL36C AL42C AL48C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL30SS AL36SS AL42SS AL42SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 x 100 460 x 100 533 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P34C P54C P63C P70C P74C P80C (L x H) AL14C AL14C AL14C AL21C AL24C AL36C AL42C AL48C AL48C AL48C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL36SS AL42SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 × 100 460 × 100 533 × 100 610 × 100 760 × 100 910 × 100 1070 × 100 1220 × 100 1372 × 100 1525 × 100	P34C P54C P63C P70C P74C P80C (L × H) AL14C AL18C AL21C AL30C AL36C AL42C AL48C AL48C AL48C AL48C AL48C AL48C AL48C AL48C AL48C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL30SS AL36SS AL42SS AL42SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 × 100 460 × 100 533 × 100 610 × 100 910 × 100 910 × 100 1070 × 100 1220 × 100 1372 × 100 1372 × 100 1828 × 100	P34C P54C P63C P70C P74C P80C (L × H) AL14C AL18C AL21C AL24C AL36C AL42C AL48C AL48C AL48C AL48C AL48C AL48C AL48C AL48C AL54C AL60C AL72C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL36SS AL42SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 × 100 460 × 100 533 × 100 610 × 100 760 × 100 910 × 100 1070 × 100 1220 × 100 1372 × 100 1828 × 100 280mm High	P34C P54C P63C P70C P74C P80C (L × H) AL14C AL14C AL14C AL12C AL24C AL30C AL36C AL42C AL48C AL48C AL48C AL48C AL48C AL472C (L × H)	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL36SS AL42SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 × 100 460 × 100 533 × 100 610 × 100 910 × 100 1070 × 100 1220 × 100 1372 × 100 1372 × 100 1525 × 100 1828 × 100 280mm High 355 × 280	P34C P54C P63C P70C P74C P80C (L × H) AL14C AL18C AL21C AL24C AL36C AL36C AL42C AL48C AL54C AL54C AL54C AL54C AL54C AL42C AL48C AL54C AL400C AL42C AL48C AL54C AL400C AL72C (L × H) AL14-280C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL36SS AL42SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 x 100 460 x 100 533 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100 1525 x 100 1828 x 100 280mm High 355 x 280 460 x 280	P34C P54C P63C P70C P74C P80C C (L×H) AL14C AL18C AL21C AL24C AL36C AL42C AL48C AL54C AL54C AL54C AL54C AL54C AL48C AL54C AL460C AL72C (L×H) AL14-280C AL18-280C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL36SS AL42SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 × 100 460 × 100 533 × 100 610 × 100 910 × 100 1070 × 100 1220 × 100 1372 × 100 1372 × 100 1525 × 100 1828 × 100 280mm High 355 × 280	P34C P54C P63C P70C P74C P80C (L×H) AL14C AL14C AL14C AL14C AL14C AL21C AL21C AL30C AL36C AL42C AL48C AL54C AL54C AL54C AL42C AL480C AL480C AL54C AL54C AL54C AL54C AL260C AL14-280C AL18-280C AL18-280C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL36SS AL42SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 x 100 460 x 100 533 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100 1525 x 100 1828 x 100 280mm High 355 x 280 460 x 280 533 x 280	P34C P54C P63C P70C P74C P80C C (L×H) AL14C AL18C AL21C AL24C AL36C AL42C AL48C AL54C AL54C AL54C AL54C AL54C AL48C AL54C AL460C AL72C (L×H) AL14-280C AL18-280C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL36SS AL42SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 x 100 460 x 100 533 x 100 610 x 100 760 x 100 1070 x 100 1220 x 100 1372 x 100 1525 x 100 1828 x 100 280mm High 355 x 280 460 x 280 533 x 280 610 x 280	P34C P54C P63C P70C P74C P80C C K AL14C AL14C AL14C AL14C AL14C AL14C AL21C AL30C AL36C AL48C AL48C AL54C AL60C AL72C (L×H) AL14-280C AL14-280C AL18-280C AL21-280C AL24-280C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL36SS AL42SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 x 100 460 x 100 533 x 100 610 x 100 760 x 100 1070 x 100 1220 x 100 1372 x 100 1525 x 100 1828 x 100 280mm High 355 x 280 460 x 280 533 x 280 610 x 280 760 x 280	P34C P54C P63C P70C P74C P80C C K AL14C AL14C AL14C AL14C AL14C AL14C AL21C AL30C AL42C AL42C AL48C AL54C AL60C AL72C (L x H) AL14-280C AL14-280C AL21-280C AL21-280C AL30-280C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL36SS AL42SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WRE LEDGES 100mm High 355 x 100 460 x 100 533 x 100 610 x 100 760 x 100 1070 x 100 1220 x 100 1372 x 100 1525 x 100 1828 x 100 280mm High 355 x 280 460 x 280 533 x 280 610 x 280 760 x 280 910 x 280	P34C P54C P63C P70C P74C P80C C K AL14C AL14C AL14C AL14C AL14C AL14C AL21C AL24C AL36C AL42C AL48C AL42C AL48C AL54C AL60C AL72C (L x H) AL14-280C AL18-280C AL21-280C AL21-280C AL30-280C AL30-280C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL36SS AL42SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WRE LEDGES 100mm High 355 x 100 460 x 100 533 x 100 610 x 100 760 x 100 910 x 100 1372 x 100 1525 x 100 1828 x 100 280mm High 355 x 280 460 x 280 533 x 280 610 x 280 760 x 280 910 x 280 1070 x 280	P34C P54C P63C P70C P74C P80C C AL14C AL14C AL14C AL14C AL14C AL14C AL30C AL30C AL42C AL36C AL42C AL48C AL48C AL54C AL60C AL72C (L×H) AL14-280C AL14-280C AL30-280C AL30-280C AL30-280C AL30-280C AL30-280C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL36SS AL42SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WRE LEDGES 100mm High 355 x 100 460 x 100 533 x 100 610 x 100 760 x 100 910 x 100 1372 x 100 1525 x 100 1828 x 100 280mm High 355 x 280 460 x 280 533 x 280 610 x 280 760 x 280 910 x 280 1070 x 280 1070 x 280 1220 x 280	P34C P54C P63C P70C P74C P80C C AL14C AL14C AL14C AL14C AL14C AL14C AL14C AL30C AL30C AL42C AL42C AL42C AL48C AL48C AL48C AL54C AL60C AL72C (L×H) AL14-280C AL18-280C AL21-280C AL30-280C AL30-280C AL30-280C AL42-280C AL42-280C AL48-280C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL36SS AL42SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WRE LEDGES 100mm High 355 × 100 460 × 100 533 × 100 610 × 100 760 × 100 910 × 100 1220 × 100 1372 × 100 1525 × 100 1828 × 100 280mm High 355 × 280 460 × 280 533 × 280 610 × 280 760 × 280 910 × 280 1070 × 280 1070 × 280 1220 × 280 1372 × 280	P34C P54C P63C P70C P74C P80C V AL14C AL14C AL14C AL14C AL14C AL14C AL14C AL14C AL21C AL30C AL42C AL36C AL42C AL48C AL48C AL54C AL60C AL72C (L×H) AL14-280C AL18-280C AL18-280C AL2-280C AL30-280C AL36-280C AL42-280C AL42-280C AL48-280C AL48-280C AL48-280C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL36SS AL42SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WRE LEDGES 100mm High 355 × 100 460 × 100 533 × 100 610 × 100 760 × 100 910 × 100 1070 × 100 1220 × 100 1372 × 100 1525 × 100 828 × 100 280mm High 355 × 280 460 × 280 533 × 280 610 × 280 760 × 280 910 × 280 1070 × 280 1220 × 280 1372 × 280 1372 × 280 1372 × 280 1372 × 280	P34C P54C P63C P70C P74C P80C V AL14C AL14C AL14C AL12C AL21C AL30C AL42C AL48C AL482C AL4820C AL14-280C AL14-280C AL21-280C AL24-280C AL30-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL60-280C AL60-280C AL60-280C AL60-280C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL36SS AL42SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100m High 355 × 100 460 × 100 533 × 100 610 × 100 760 × 100 910 × 100 1070 × 100 1372 × 100 1525 × 100 1828 × 100 280mm High 355 × 280 460 × 280 533 × 280 610 × 280 910 × 280 1070 × 280 1220 × 280 1372 × 280 1372 × 280 1828 × 280	P34C P54C P63C P70C P74C P80C V AL14C AL14C AL14C AL12C AL21C AL30C AL42C AL48C AL482C AL4820C AL14-280C AL14-280C AL21-280C AL24-280C AL30-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL60-280C AL60-280C AL60-280C AL60-280C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 910 x 100 1070 x 100 1220 x 100 1372 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL36SS AL42SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS AL48SS	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 × 100 460 × 100 533 × 100 610 × 100 760 × 100 910 × 100 1070 × 100 1220 × 100 1372 × 100 1525 × 100 1525 × 100 1525 × 100 1525 × 100 1525 × 280 460 × 280 533 × 280 460 × 280 533 × 280 1070 × 280 1070 × 280 1220 × 280 1372 × 280 1372 × 280 1372 × 280 1525 × 280 1372 × 280 1525	P34C P54C P63C P70C P74C P80C V AL14C AL14C AL14C AL14C AL14C AL21C AL24C AL30C AL42C AL48C AL482C AL4820C AL14-280C AL14-280C AL21-280C AL21-280C AL30-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL54-280C AL60-280C AL60-280C AL72-280C AL60-280C	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 1070 x 100 1220 x 100 1372 x 100 1525 x 100 1525 x 100	P54SS P63SS P70SS P74SS P80SS (LxH) AL18SS AL24SS AL24SS AL24SS AL24SS AL36SS AL42SS AL48SS AL454SS AL60SS I <	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 × 100 460 × 100 533 × 100 610 × 100 760 × 100 910 × 100 1070 × 100 1220 × 100 1372 × 100 1828 × 100 280mm High 355 × 280 460 × 280 533 × 280 610 × 280 1372 × 280 1322 × 280 1372 × 280 1322 × 280 1328 × 280 WIRE SHELF DIVIDE 220mm High 355 × 220 460 × 220	P34C P54C P63C P70C P74C P80C V AL14C AL14C AL14C AL14C AL14C AL14C AL21C AL24C AL30C AL36C AL42C AL48C AL54C AL54C AL54C AL54C AL54C AL482C AL460C AL422C AL482 AL542 AL602 AL422 AL442280C AL30-280C AL42-280C AL42-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL460-280C AL48-280C AL460-280C AL40-280C AL48-280C AL40-280C AL48-280C AL400-280C <t< td=""><td>1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 1070 x 100 1220 x 100 1372 x 100 1525 x 100 1525 x 100</td><td>P54SS P63SS P70SS P74SS P80SS (LXH) AL18SS AL18SS AL18SS AL24SS AL30SS AL48SS AL48SS AL60SS AL60S AL60S AL60S AL60S AL7 AL7 AL7 AL7 AL8 AL9 AL9</td><td>1370 1600 1895</td><td>P54SD P63SD P74SD</td><td></td><td></td></t<>	1370 1600 1800 1895 2032 100mm High 460 x 100 610 x 100 760 x 100 1070 x 100 1220 x 100 1372 x 100 1525 x 100 1525 x 100	P54SS P63SS P70SS P74SS P80SS (LXH) AL18SS AL18SS AL18SS AL24SS AL30SS AL48SS AL48SS AL60SS AL60S AL60S AL60S AL60S AL7 AL7 AL7 AL7 AL8 AL9 AL9	1370 1600 1895	P54SD P63SD P74SD		
860 1370 1600 1800 1895 2232 WIRE LEDGES 100mm High 355 × 100 460 × 100 533 × 100 610 × 100 760 × 100 910 × 100 1070 × 100 1220 × 100 1372 × 100 1525 × 100 1828 × 100 280mm High 355 × 280 460 × 280 533 × 280 610 × 280 1070 × 280 1220 × 280 1372 × 280 1525 × 280 1828 × 280 WIRE SHELF DIVIDE 220mm High 355 × 220	P34C P54C P63C P70C P74C P80C V AL14C AL14C AL14C AL14C AL14C AL14C AL21C AL24C AL36C AL42C AL48C AL48C AL44C AL48C AL4820C AL48280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C AL48-280C	1370 1600 1800 1895 2032 100mm High 460 × 100 610 × 100 760 × 100 910 × 100 1720 × 100 1372 × 100 1525 × 100 1525 × 100 220mm High	P54SS P63SS P70SS P74SS P80SS (LXH) AL18SS AL18SS AL18SS AL24SS AL30SS AL42SS AL48SS AL48SS AL60SS I<	1370 1600 1895	P54SD P63SD P74SD		

Rapini Shelving Options

Rapini shelving, provides complete flexibility, so that our customers can achieve the most efficient storage solutions possible. We offer a no obligation, professional planning consultancy, to assist in optimising storage efficiencies.

We can offer an assembly and installation service if requested.

Shelf sizes

Rapini offers an expansive range of shelf sizes

Adjustability

Shelves are adjustable and can be easily repositioned with the use of the two piece sleeve which is set at 25mm increments.

Different heights

Six standard Post heights enable Rapini to adapt to most requirements.

Accessories

A large range of accessories is available to complement all shelving layouts (refer accessories – over).

Mobile or static - with or without wheels

- Mobile shelving units are supplied with 125mm castors, 2 of which come with brakes.
- Static shelving units are supplied with adjustable feet to accommodate uneven floors.

R1001 | Static 4 Shelf Unit

460 x 1525 x 1600mm (D x W x H)





R1101 | Static 5 Shelf

460 x 1525 x 1600mm (D x W x H)




R1201 | Mobile 4 Shelf

460 x 1525 x 1760mm (D x W x H)



R1301 | Mobile 5 Shelf

460 x 1525 x 1760mm (D x W x H)







R2001 | Combination Trolley

Size illustrated: 900 x 610 x 1760H mm

This trolley combines the options of fixed shelves and sliding baskets. Can be configured with a variety of baskets to both sides, or the basket / shelf combination. Available in Nickel Chrome only.



Modular Shelving System

Rapini Static units can be configured in multiple variations using S Hooks. Starting with a base unit, extra units can added side to side or back to back.

Please contact our sales department to assist you with your requirements



R2102 | Suture Trolley

Size illustrated: 460 x 1220 x 1760H mm


Suture Trolley features the unique slanted display shelves ideal for dispensing and storing of sutures or other boxed items. Can be configured with slanted or flat shelves. Available in Nickel Chrome only.

Three shelf sizes available:

460 x 910mm R2101 R2102 460 x 1220mm R2103 460 x 1525mm



Single row in-line units





Double row in-line units



In Line Storage System

The principle of in-line storage systems is to have a number of mobile bays, running between two static end bays.

Allowance must be made for a minimum of 800mm aisle spaces. Our normal range of shelf sizes gives the opportunity to erect the most efficient storage system to suit all applications.

Please contact our sales department to assist you with your requirements

Accessories

Ledges

Wire shelf ledges are available to suit all shelf sizes. Ledges are designed to easily clamp onto shelf frames.

Available in various sizes to suit different shelf widths:


- 100mm high
- 280mm high



Shelf Dividers

To assist in organised shelf maintenance, shelf dividers provide a simple solution and clip into any part of the shelf.

Available in various sizes to suit different shelf widths.



Catheter Holder

These catheter holders are fully extendable on extension runners and can be easily attached to shelves 460mm or 610mm wide.

RAP18-CATH-SLIDE460mmRAP24-CATH-SLIDE610mm





RAPCB001 Catheter Storage Basket

Size: 150 x 150 x 600mm

High chrome plated mesh with 2 x attachment hooks

Mesh Size: 30 x 30mm


Fits to all Rapini shelving and basket trolleys

Vertical Rods

An alternative to ledges, the 6mm vertical rods can be used to retain larger items.

Available in five lengths, simply clip onto the shelf frame.

Vertical Rods	Size
AR1150	1150mm
AR1320	1320mm
AR1530	1530mm
AR1830	1830mm





WTIA | Wall Mount Collar

Affixes to wall to accommodate posts and spaced to suit shelves. Posts can be cut to suit any application.

AS 01 | S-Hook Connector

S Hooks are used to link one shelving unit to another and are particularly useful in a corner situation to replace posts to enable free access into the corner.





Wall Brackets

Two sizes:

WSWB14C 355mm wide WSWB18C 460mm wide

To be fixed to walls and spaced to accommodate all shelves. Fits all 355mm and 460mm wide shelves.

Guard Rails

A small version of the shelf ledge.

Offers two types: Straight one side or three sided.





Straight 1 Side	Size
R18C	460mm
R21C	533mm
R24C	610mm
R30C	760mm
R36C	910mm
R42C	1070mm
R48C	1220mm
R54C	1372mm
R60C	1525mm
R72C	1828mm

Guard Rail 3 Sides	Size
F1836C	460 x 910mm
F1848C	460 x 1220mm
F2424C	610 x 610mm
F2436C	610 x 910mm
F2448C	610 x 1220mm

Label Holders

Two variations are available:

Blue Type: Clips securely to top and bottom of shelf. Available in full lengths to suit shelves.

Blue	Size
ALH07	75mm
ALH8	828mm
ALH14	1400mm
ALH12	1220mm
ALH17	1700mm



Clear Type: Clips securely to top of shelf. Available in full lengths to suit shelves. May be easily cut to lengths of choice.

Clear	Size
DUS26CL75	75mm
DUS26CL700	700mm
DUS26CL1220	1220mm
DUS26CL1400	1400mm
DUS26CL1700	1700mm







More label holders and cards Refer to page 4 & 5

Rapini In-Line Storage

Rapini delivers an easy and economical way to solve a variety of storage, supply management and inventory control issues.

The principle of an in-line storage system is to have a number of mobile bays, running between static end bays, maximising your floor space usage and improve your inventory supply flow.





	Track Length :	2250mm
\mathbf{C}	Shelf Depth:	460mm
З _{BAY}	Aisle Space:	800mm



	Track Length:	3310mm
	Shelf Depth:	460mm
D BAY	Aisle Space:	800mm



	Track Length :	2800m
1	Shelf Depth:	460mm
4 BAY	Aisle Space:	820mm



	Irack Length :	3840mm	
C	Shelf Depth:	460mm	
O BAY	Aisle Space:	800mm	

Configuration Options


Rapini shelving, provides complete flexibility, so that our customers can achieve the most efficient storage solutions possible. We offer a no obligation, professional planning consultancy, to assist in optimising storage efficiencies. We can offer an assembly and installation service if required.

Adjustability

Shelves are adjustable and can be easily repositioned with the use of the two piece sleeve which is set at 25mm increments.

Accessories

A range of wire basket options are available to complement all shelving layouts (Pg 22)





		Track Length:	4730mm
\neg		Shelf Depth:	460mm
/	BAY	Aisle Space:	800mm





	Track Length:	4900mm
\bigcirc	Shelf Depth:	460mm
8 BAY	Aisle Space:	800mm



Track Length :	5430mm (max 5700 with 1 isle)
Shelf Depth:	460mm
Aisle Space:	820mm


Rapini Wall Hanging Systems


Wire Panels

This new method of storage for the Rapini Wall Basket system introduces a wire retaining system fully compatible for our range of close mesh baskets.

This unique system addresses infection control issues with the ability to clean and dust behind the wall panel system.

This system is modular, size 460mm (high) x 460mm (wide) and can be attached to the wall side by side or above each other. Manufactured from nickel chrome plated wire, this system is durable and easy to install.





RAPWP460460C

- Wire wall panel
- Chrome plated
- 460mm x 460mm

Rapini Wall Basket Systems

Storage Solutions – Clean Environment

Rapini have introduced a new basket system which features a close mesh design. It has applications for wall mounting on louvered panels and wall hanging systems.

These baskets offer a much improved alternative to the plastic storage trays and significantly reduce the opportunity of dust collection, thereby addressing infection control.

- Eliminates collection of dust on the base of the basket
- Close mesh design allows storage of smaller items
- Four sizes to choose from which provides stora
- for any applications
- Dividers available for the two larger size baskets
- The nickel chrome plated wire construction ensures strength and durability and are easily cleaned and maintained.


Baskets



Wall Panel Basket


- 8mm mesh
- 415 x 225 x 170mm deep

Chrome	RAPWB122
Stainless Steel	RAPWB122SS



Divider to suit
RAPWB122
RAPWB122SS

Chrome	RAPD120
Stainless Steel	RAPD120SS



Louvred Panels

The traditional louvered wall panels are available and are manufactured from powder coated steel. Two sizes are available, 460mm x 460mm and 900mm x 460mm.



RAPWP460M Louvre Wall Panel


- Powder coated

– 460mm x 460mm



RAPWP900M Louvre Wall Panel

- Powder coated
- 460mm x 900mm



Rapini Basket Series

Sliding Baskets

Sliding baskets can be configured to suit the Basket Trolleys (page 30) or as storage devices to simply sit on the shelves.

They are available in 2 different sizes in 2 different depths: 100mm and 200mm

Hook System

RB130C | Hook Basket

440 x 190 x 255mm deep



Sliding Baskets 1220 x 610

SB1220/200X610B

- 1060 X 525 X 200mm
- Close mesh

Short Divider: SD 556-460/200 DIV



SB1220/100X610B

1060 X 525 X 100mm

Short Divider: SD 556-460/100DIV



Sliding Baskets 610

SB 610/100CM

- 460 X 380 X 100mm
- Close mesh

Short Divider:	SD 406-610/100DIV
Long Divider:	SD 480-610/100DIV





RB180C | Hook Basket

345 x 127 x 180mm deep



RAPWP460460CM Wall Hanging Panel

460 x 920mm (baskets not included)



SB 610/200CM

- 460 x 380 x 200mm
- Close mesh

Short Divider:	SD 406-610/200DIV
Long Divider:	SD 480-610/200DIV





Sliding Baskets 460

SB 460/100CM

- 300 x 525 x 100mm
- Close mesh

Short Divider: SD 338-460/100DIV Long Divider: SD 556-460/100DIV





SB 460/200CM

300 x 525 x 200mm

Short Divider: SD 338-460/200DIV SD 556-460/200DIV Long Divider:







Rapini Wire Storage

The Rapini Basket Trolley range, delivers great versatility in slide out basket storage. Trolley units can be configured to suit our customer's requirements.

Trolleys are manufactured with heavy duty bearing drawer runners to withstand normal handling abuse

Baskets come in a number of sizes and are available in either 100mm or 200mm depths. Baskets are offered with a range of dividers.

- Available in Nickel Chrome Plated Steel
- Various drawer configurations are available.

Static Basket Systems

Due to the flexibility of the SB range of baskets they can be integrated into trolleys, static units and In-Line systems. The baskets are only suitable to shelf widths of 460, 525, or 610mm.

Mounted on full extension heavy duty metal runners, the SB baskets are well suited to all types of items including IV fluids or similar.



Configuration options

Sliding Basket Trolleys

R2701 | Small

610 x 460 x 1020H mm

A versatile solution to materials handling. The Small Basket Trolley comes with a solid stainless steel top and baskets are supported with full bearing slide out drawer runners.

Illustrated: 4 x 100mm deep basket 1 x 200mm deep basket.

R2740 | Large

1220 x 610 x 1020H mm

The Large Basket Trolley comes with a stainless steel top and baskets are supported with full bearing slide out drawer runners.

Illustrated: 2 x 100mm deep baskets 2 x 200mm deep baskets.

R2720 | Large

1220 x 610 x 1530H mm

The Large Basket Trolley comes with a wire mesh top and baskets are supported with full bearing slide out drawer runners.

Illustrated: 5 x 100mm deep baskets 2 x 200mm deep baskets.









Configuration options

R2760 | Narrow – Single Bay

460 x 610 x 1960H mm

The Narrow Basket Trolley is designed to place the sliding baskets with narrow side exposed. Baskets are supported with full bearing slide out drawer runners.

Illustrated: 4 x 100mm deep baskets 3 x 200mm deep baskets

R2780 | Wide – Single Bay

610 x 460 x 1960H mm

The Wide Basket Trolley is designed to place the sliding baskets with wide side exposed. Baskets are supported with full bearing slide out drawer runners.

Illustrated: 4 x 100mm deep baskets 3 x 200m deep baskets.

R2790 | Double Bay

900 x 610 x 1960H mm

The Double Bay Basket Trolley places the sliding baskets with narrow side exposed. Two bays provides generous storage capacity.

Illustrated: 16 x 100mm deep baskets 8 x 200mm deep baskets







Rapini Specialty Units

Mobile Trolleys

R2350 Wire Shelf Trolley — Three Shelf

Size illustrated: 460 x 760 x 1020H mm

A small mobile trolley of three shelves, with inbuilt push handles at each end.

5 shelf sizes available:

R2350	460 x 760mm
R2355	460 x 910mm
R2360	610 x 760mm
R2365	610 x 910mm
R2370	610 x 1220mm



R2310 Wire Shelf Trolley – Two Shelf

Size illustrated: 460 x 760 x 1020H mm

A small mobile trolley with top and bottom shelf, and inbuilt push handle.

5 shelf sizes available:

R2310	460 x 760mm
R2315	460 x 910mm
R2320	610 x 760mm
R2325	610 x 910mm
R2330	610 x 1220mm



R2450 Solid Stainless Steel Trolley — Three Shelf

Size illustrated: 460 x 760 x 1020H mm

Three shelf mobile trolley with multi purpose use. Comes fitted with in built push handles at each end.

5 shelf sizes available:

R2450	460 x 760mm
R2455	460 x 910mm
R2460	610 x 760mm
R2465	610 x 910mm
R2470	610 x 1220mm



MT1830 Mail Trolley

Size illustrated: 460 x 760 x 1020H mm

A double basket trolley, ideal for mail and document transportation. Comprised of two baskets, 140mm deep and 255mm deep. Comes with inbuilt push handle.

Sizes available: MT1836 460 x 910mm



Rapini Specialty Units

R2201 Catheter Trolley — Sliding Hook

Size illustrated: 460 x 1220 x 1800H mm

Features slide out, very efficient vertical storage of catheters. Available with 10 slide out hooks.

R2530 Clothing Distribution Trolley

Size illustrated: 32 Bays

A multi compartment trolley designed for the distribution of personal linen for residents. Features double sided access. Comprises shelf ledges, vertical rods, hanging rods and push handle.

Sizes available:

R2500	16 Bay
R2520	24 Bay
R2530	32 Bay



R2550 Louvre Panel and Basket Trolley

Size: 460 x 1050H mm

Designed for use with Wire Baskets.

*Baskets not included



R2640

Clean Table

Size illustrated: 760 x 1828 x 1020mm high

Table is comprised of a solid stainless steel top. One wire mesh shelf under.

Sizes available:

R2601	610 x 1220 x 1020H mm
R2620	610 x 910 x 1020H mm
R2640	610 x 1525 x 1020H mm



Linen Trolleys

R2405 Linen Trolley – Small

Size illustrated: 460 x 910 x 1020H mm

Three shelf, small mobile trolley, ideal for the transport of clean linen. Comes fitted with vertical rods and inbuilt push handle.

5 shelf sizes available:

R2400	460 x 760mm
R2405	460 x 910mm
R2410	610 x 760mm
R2415	610 x 910mm
R2420	610 x 1220mm



R2440 Linen Trolley – Large

Size illustrated: 610 x 910 x 1760H mm


Four shelf large, mobile trolley, Ideal for the transport of clean linen. Comprised of 3 slanted shelves and 1 flat shelf. Comes fitted with vertical rods and in-built push handle.





3

PHARMACY SHELVING



Shelf Systems	38
Basket Systems	40

Pull Out Shelf Systems

These pull out shelf systems are extremely flexible and can be configured to be free standing, wall mounted or enclosed within a cupboard. They are ideal for the effective storage of capsules, tablets, liquids, and other medication.

The metal shelving is fitted to high quality metal drawer runners for robustness and durability. Each shelf is fitted with clear polycarbonate dividers that are fully adjustable for quick assembly and ease of use.

Key Benefits:

- Push pad opening
- Self-locking
- Adjustable dividers
- Easily cleaned
- Rotates stock
- Contents fully visible

Wall Units

Pull Out Shelves

Pull-out Tray Shelves / Slip Shelves Sizes

Depth	Width	
305mm	600 or 915mm	
405mm	600 or 915mm	
505mm 600 or 915mm		
Medicati	on / Shelf	
600mm	8 to 9	
915mm	12 to 13	





7 Shelf Illustrated



Built in cupboard

Free standing lockable cabinet





Dispensa Pull Out Wall Unit

A single sided gondola with up nine pull out tray shelves or slip shelves.

Dispensa Pull Out Double Sided

Pull out tray shelves or slip shelves on a double sided gondola.

	-	Depth (Overall)			
	Post Height	305	405	505	
	2260mm	407mm	507mm	607mm	
	Width (Overall)				
	1 Bay 2 Bay 3 Bay 4 Bay				
System 600	635mm	1236mm	1840mm	2440mm	
Medications*	75	150	225	300	
System 915	950mm	1866mm	2784mm	3700mm	
Medications*	110	220	330	440	

		Depth (Overall)		
	Post Height	305	405	505
	2260mm	740mm	940mm	1140mm
	Width (Overall)			
	1 Bay	2 Bay	3 Bay	4 Bay
System 600	635mm	1236mm	1840mm	2440mm
Medications*	150	300	450	600
System 915	950mm	1866mm	2784mm	3700mm
Medications*	220	440	660	880



Basket Systems

For the storage of larger or bulk items we offer a versatile basket system that can be fitted into cabinets, cupboard or free standing storage units.

The baskets are available in 2 depths, 14 and 28cm and are constructed from heavy duty chrome plated wire. Dividers are available for both size baskets.

The basket system is designed to be used with 2 types of metal roller runners, light duty 40kg and heavy duty 100kg, to accommodate heavy items, such as IV fluids.

Wire Baskets

WB1	Wire Basket 140/560
WB2	Wire Basket 280/560

Wire Basket WB1 can be divided in two directions.

WB2 can only be divided front to back.

WD1 2-Way	Basket Divider 2W 140/400
WD1 4-Way	Basket Divider 4W 140/400
WD2 2-Way	Basket Divider 280/400

Pull-out Basket Systems

Under Bench Pull-out Basket Cabinet

The Under Bench Pull-out Basket Cabinets are designed to fit under a bench height of 1m, 0.9m and a sitting bench of 0.7m. Under Bench Cabinets can be customised to suit any bench height. All Under Bench Pull-out Basket Cabinets have adjustable feet. Baskets are available with light duty (40kg) or heavy duty (100kg) drawer runners, so they can accommodate heavy items such as IV fluids.

Width	615mm	Depth	420mm
Model	UB8	UB6	UB5
Frame Height	800mm	655mm	505mm
Including Feet	650mm	705mm	555mm

Wire Basket Combination Packages

We have a range of packages available.

UB8 - Bench 1M high

Package A	5 x WB1 Wire Basket
Package B	3xWB1 Wire Basket and $1xWB2$ Wire Basket
Package C	$1\mathrm{x}\mathrm{WB1}$ Wire Basket and $2\mathrm{x}\mathrm{WB2}$ Wire Basket

UB6 - Bench 900mm high

Package D	4 x WB1 Wire Basket
Package E	2xWB1 Wire Basket and $1xWB2$ Wire Basket

UB5 - Sitting Bench - 700mm high

Package F	3 x WB1 Wire Basket
Package G	1 x WB1 Wire Basket and 1 x WB2 Wire Basket

Other Options

- Melamine panel kit
- Roller shutter / Lock
- Wall attachment





	WB1	WB2
Height	140mm	280mm
Width	560mm	560mm
Depth	400mm	400mm
	Corresponding Divider	
	WD1	WD2
	2-Way	2-Way
Height	139mm	269mm
Length	381mm	378mm
	4-Way	
	100	
Height	139mm	



Free Standing Pull-out Basket System

Any combination of the wire baskets WB1 or WB2 can be fitted to the free standing unit on either heavy duty or light duty drawer runners.





INDEX

1 Module 60 x 40 Systems

Baskets	3
Cabinet Liners	6
Divider Systems	4
Drawer Stops	4
ISO Container Carts	11
Label Holders	4
Mobile Storage	13
Modu-flex	12
Plastic Cards	5
Shelves	3
Spectra Range	14
Transport Trolleys / Open Carts	10
Trays	2
Wheels	7

$2 \,\, {\rm Rapini} \,\, {\rm Wire} \,\, {\rm Systems}$

Catheter Holder	22
Catheter Storage Basket	22
Catheter Trolley	34
Clean Table	34
Clothing Distribution Trolley	34
Combination Trolley	21
Dividers, Shelf	22
Guard Rails	23
Hook Baskets	28
In-Line Storage System	24
Label Holders	23
Ledges	22
Linen Trolleys	35
Louvered Panels	27
Louvre Panel and Basket Trolley	34
Mail Trolley	33
Mobile Shelf Unit	20
Modular Shelving System	21
Rods, Vertical	22
Shelving Options	18-21
S-Hook Connector	23
Sliding Basket Trolleys	30
Sliding Baskets	28
Solid Stainless Steel Trolley	33
Static Basket Systems	30
Static Shelf unit	20
Suture Trolley	21
Wall Brackets	23
Wall Mount Collar	23
Wall Panel Baskets	26
Wire Panels	26
Wire Shelf Trolley	32

${\bf 3}$ Pharmacy Shelving

Pull-out Basket Systems	
Pull-out Shelves	38
Pull-out Wall Unit	38
Pull-out System Double Sided	38
Wire Baskets	40



T +61 (3) 9922 0300 **F** +61 (3) 9544 5392

 ${\bf W}$ www.axishealth.com.au